

i-did i-

i-did | Interior

Social at its core

We believe in a social and circular society. A society where everyone contributes to preserve the environment and where no one is left out.

We employ people who, for whatever reason, have never worked or have not worked for a long time. Together we discover opportunities, work on the skills of employees and guide our participants to work. In the period from 2017 to 2020, 70% of our participants found a new job at the end of their period with i-did.





About i-did

Mireille founded i-did in 2009 with the goal of social inclusion through work. When Michiel joined at the end of 2012, there was soon talk about the enormous amount of textile waste. How nice if we can help to clear this up little by little.

This has resulted in our beautiful recycled felt and making a sustainable impact. We don't just make this impact in our i-did studios in Utrecht and The Hague. Thanks to our own, unique factory for fiberization and felting (also in The Hague), we can now make our felt completely in-house and create even more impact.



MADE BLUE

Our sustainable impact

For every liter of water we save with our products, we donate liter by liter to Made Blue. Up to now we have already donated 13,910,731 liters of water. Which means water for at least 191 people for the upcoming 10 years or longer.

With just one square meter of felt, we save more than 400 liters of water. This enormous water saving is realized simply by extending the life already of existing materials.

By ordering a recycled a multi-panel from us, instead of a product made out of new textile, you save a lot of water. In this way, together with our customers, we indirectly have a savings of at least 600 tons of CO2 (that's roughly 380 return trips Amsterdam – New York)*


*Source: greenseat.nl



i-did | multipanels



i-did i-



Multipanels

↕ Modular system, different compositions possible
(can be placed horizontally and vertically)

↑ ■ Thickness: $\pm 4,7$ cm ($\pm 0,1$ cm)

🔊 Acoustic value: 1,0 Aw

📐 Materials: Ecoplex, Ecor, Metisse,
hotmelt glue, i-did felt

🔥 Standard with fire retardent felt

🌀 Optional: assembly kits for wall and for ceiling

✚ Expandable with, among other things, LCD
frame, wall shelf and whiteboard



The panels

Where people gather, like at workplaces, restaurants and schools, noise is inevitable. The hard building materials of buildings create poor acoustics and therefore an unpleasant environment. Our acoustic panels offer a sustainable and circular solution.

Our multi-panels are produced with our recycled felt. Felt made from discarded business or consumer clothing. Little by little we help clear up the enormous amount of textile waste while guiding people to work. Social at the core, with a sustainable exterior.



The Green House, restaurant,
Utrecht, Architect: Coster design



i-did i-

Modular system


Our panels can be used as a modular system and thus flexible to use in different setups. With addition of an LCD frame, wall shelves, or a whiteboard, our acoustic walls are perfect for conference calls, presentations, displays and more. This makes the wall practical and the reverberation in the room is muted to the maximum.

Suspension

For a system wall, we recommend our brackets with which the panels can be switched and hung level.

For ceilings we have a mounting system with adjustable steel cables up to 3 meters in length including paper drilling template.

We recommend the use of our adjustment discs including paper drilling template. With this, everyone can easily and quickly instal our modular systems themselves.





Detailed discription | panels

Measurements	32x32 cm	32x64 cm	32x128 cm	32x192 cm
		64x64 cm	64x128 cm	64x192 cm
thickness	4,7 cm	4,7 cm	4,7 cm	4,7 cm
Acoustic value*	1,0 Aw	1,0 Aw	1,0 Aw	1,0 Aw
Number of suspension points	4 ceiling 2 wall	4 ceiling 2 wall	4 ceiling 2 wall	4 ceiling 2 wall
Fire retardend effect	Yes	Yes	Yes	Yes
Backside upholstered	No	No	No	No
Felt colours	All colours in stock	All colours in stock	All colours in stock	All colours in stock

Weight (netto)	32 cm	64 cm	128 cm	192 cm
32 cm	1,3 kg	2,1 kg	3,1 kg	4 kg
64 cm	2,1 kg	3,1 kg	5,3 kg	6,9 kg

* Test report on request

LCD Frame

- Stand-alone or part of modular system
- Horizontal or vertical
- 2 sizes
- Materials: Ecoplex, oak veneer, oil
- Cable tray at the back
- Standard in the color oak natural

Measurements outer dimension	96x160x12,4	128x192x12,4
Thickness all around	18 mm	18 mm
Suspention points	4	4
Suitable for screen size	50"-65"	75"-84"
Colour	Oiled natural oak	Oiled natural oak
Installation	With two people	With two people
Weight (netto)	17 kg	On request


Installation: 4 brackets per frame (see wall mounting system)

Whiteboards

- Stand-alone or part of modular system
- Horizontal or vertical
- 2 sizes
- Materials: Ecoplex, oak veneer, oil

Dimensions outer size	64x128x3,4	96x128x3,8
Magnetic	Yes	Yes
Suspension points	4	4
Material	Abet laminati 406 Bianco Primavera Lucida Magnetico Ecoplex	Abet laminati 406 Bianco Primavera Lucida Magnetico Ecoplex
Installation	With one person	With one person

Installation: 4 brackets per frame (see wall mounting system)





ABN Amro, Greene retail concept, Eindhoven,
Architect: Coare architecten i.s.m. Koppes bouwkunde,
Foto: Hannie Verhoeven



Prices (excl. VAT)

Article number	Measurements	Price per item (Excl.suspension fittings)	Transport per article in the Netherlands	Transport pallet in the Netherlands
MULTI-32x32	32x32 cm	76 Euro	8,50 Euro (1 t/m 9 pieces)	55 Euro (37 tot 60 pieces)
MULTI-32x64	32x64 cm	92 Euro	8,50 Euro (1 t/m 6 pieces)	55 Euro (19 tot 60 pieces)
MULTI-32x128	32x128 cm	125 Euro	14,00 Euro (1 t/m 6 pieces)	55 Euro (19 tot 60 pieces)
MULTI-32x192	32x192 cm	156 Euro	29,00 Euro (1 t/m 3 pieces)	110 Euro (on request)
MULTI-64x64	64x64 cm	114 Euro	8,50 Euro (1 t/m 3 pieces)	55 Euro (16 tot 60 pieces)
MULTI-64x128	64x128 cm	173 Euro	14,00 Euro (1 t/m 3 pieces)	55 Euro (16 tot 60 pieces)
MULTI-64x192	64x192 cm	228 Euro	29,00 Euro (1 t/m 2 pieces)	110 Euro (on request)

Ceiling mount system

- 4 pieces per panel
- Standard 3 meter steel cable
- Adjustable 0,5 to 3 meter height

Excl.screw plug

Price per panel (4cables) 25Euro

Wall mounting system

- We recommend this confirmation for hanging several connected panels and for added elements.
- Note: brackets may remain visible at the top or bottom.
- Using brackets for both horizontal and vertical placement
- Basically 2 pieces per panel (where 2 panels meet and panels a bracket)

Excl.screw plug

Price per bracket 1,25 Euro (2 brackets = 2,50 Euro)

Wall mounting (simple)

- We recommend this attachment for the suspension of a single panel and/or where the top or bottom remains visible.
- Suspension with two screws by means of adjusting discs
- For both horizontal and vertical placement

Excl.screw plug

Price per panel(2 adjusting discs) 3,50Euro

Prices (excl. VAT)

LCD Frame

Articlenumber	Measurements	Price per piece	Transport per 1/2pieces (pallet) in the Netherlands*
EIK-LCDFRAME	96x160x12,4	1.281 Euro	55 Euro
EIK-LCDFRAME-XL	128x192x12,4	1.628 Euro	55 Euro

Whiteboard


Articlenumber	Measurements	Price per piece	Transport per 1/2pieces (pallet) in the Netherlands*
INT-WHITEBOARD	64x128x3,8	On request	8,50 Euro
INT-WHITEBOARD	96x128x3,8	853 Euro	55 Euro

For further information, please refer to our general terms and conditions of sale.

* Excluding wadden islands

i-did | islands





Islands

Ø Diameter: 70 | 90 | 110 | 130 cm

↑ ■ Thickness: 4,6 cm



Materials: Ecoplex, Ecor, Metisse, i-did felt and oak veneer rim



Standard fire retardant



Optional: height-adjustable ceiling mount of 3 meters long



Acoustic islands

To improve the acoustics in a room, it is often possible to make efficient use of the ceiling. In addition to our baffles and multi-panels, we also have islands with completely round shapes. Not only circular in design, but also in materials and production.

The islands are available in four different sizes, making it possible to play creatively with the different sizes. Also the three meter long suspension cables enable you to adjust the height in a playful way. This allows the reverberation to be reduced exactly where most sound is produced.

Our islands are produced with our recycled felt, which is made from discarded business or consumer clothing. Little by little we help clear up the enormous amount of textile waste while guiding people to work. Social at the core, with a sustainable exterior.




Hanging up islands

We recommend ordering our suspension system with the islands to be sure that you have suitable and sufficiently strong mounting for the ceiling.

The islands with a diameter of 70, 90 and 110 cm are suspended from three attachment points.

The island with a diameter of 130 centimeters has five mounting points for reliable suspension.

We always supply a paper template with which the holes can be drilled without errors. This enables easy installation. The cables can be pulled through the hooks in the ceiling to reach the correct height and be installed level.



Prices and detailed description

Prices (excl. VAT)

Measurements	Price per item	Transport per package in the Netherlands	Transport per pallet in the Netherlands	Suspension fittings
Ø 70	155 Euro	14 Euro (1 to 3 pieces)	55 Euro (10 to 20 pieces)	23 Euro (set of 3)
Ø 90	206 Euro	14 Euro (1 to 3 pieces)	55 Euro (10 to 20 pieces)	23 Euro (set of 3)
Ø 110	271 Euro	14 Euro (1 to 2 pieces)	55 Euro (7 to 20 pieces)	23 Euro (set of 3)
Ø 130	344 Euro	14 Euro (1 to 2 pieces)	55 Euro (7 to 20 pieces)	38 Euro (set of 5)

Detailed description

Measurements	Ø 70	Ø 90	Ø 110	Ø 130
Thickness	4,6 cm	4,6 cm	4,6 cm	4,6 cm
Weight (net)	2,7 kg	6,3 kg	7,4 kg	9,1 kg
Weight (gross)	3,0 kg	6,6 kg	7,7 kg	9,5 kg
Number of suspension points	3	3	3	5
Length steel cable	3 meter (to shorten with cutting pliers)	3 meter (to shorten with cutting pliers)	3 meter (to shorten with cutting pliers)	3 meter (to shorten with cutting pliers)
Height adjustable	0,5 – 3 meters	0,5 – 3 meters	0,5 – 3 meters	0,5 – 3 meters
Fire retardant effect	Yes	Yes	Yes	Yes
Felt colours	All colours in stock	All colours in stock	On request	On request

For further information, please refer to our general terms and conditions of sale.

i-did | desk dividers

i-did i-



i-did

Desk Divider straight




↑ ■ Measurements: 49x 140

↔
■ Thickness: 4,5
cm

■ Materials: Ecoplex, Ecor, Metisse, i-did felt

|| Including two steel legs, black


Desk Divider Flex



 Comes in two sizes

 Total measurements: 48 x 138cm | 48x 163cm

 Thickness: 4,5 cm

 Measurements middle part: 55 cm | 80cm

 Materials: Ecoplex, Ecor, Metisse, i-did felt





Desk Dividers

It's nice to have a little space while working or studying create for yourself where you have fewer distractions. In addition, it also gives a signal to your environment that you don't want to be disturbed. On an open desk or table, you can easily create that space with a desk divider. i-did has two variants of desk dividers in the collection. A straight variant that can be used by means of metal legs can be placed on the desk. And the desk divider flex, which by folding the corners, stays in place and also provides shielding from the sides. Our desk dividers are produced with our recycled felt. Felt made from discarded corporate or consumer clothing. Helping to clean up the textile waste mountain little by little while we guide people to work. Social in the core, with a sustainable exterior.

Prices and detailed description

Prices (excl. VAT)

Product	Price per item	Transport per package in the Netherlands	Transport per pallet in the Netherlands
Desk divider Flex small 138cm	108 Euro	14 Euro (1 to 3 pieces)	55 Euro (10 to 20 pieces)
Desk divider Flex large 163 cm	131 Euro	14 Euro (1 to 3 pieces)	55 Euro (10 to 20 pieces)
Desk Divider straight 140 cm	136 Euro	14 Euro (1 to 2 pieces)	55 Euro (7 to 20 pieces)

Uitgebreide beschrijving


Product	Desk divider Flex small 138cm	Desk divider Flex large 163 cm	Desk Divider straight 140 cm
Measurements	138 x 48 cm	163 x 48 cm	140 x 49 cm
Thickness	4,5 cm	4,5 cm	4,65 cm
Weight (net)	4,3 KG	5 KG	5,7 KG
Weight (gross)	4,8 KG	5,5 KG	6,2 KG
Number of legs	None	None	2
Fire retardent effect	Not standard	Not standard	Not standard
Felt colours	All colours in stock	All colours in stock	All colours in stock

For further information, please refer to our general terms and conditions of sale.

i-did | blinds



i-did i-



Blinds



Width blinds: 15 of 30cm



Height blinds: customized



Width rails: customized



Materials: Felt and ECOR, Hotmelt glue,
Plastic blind carrier



Optional fire retardent



Blinds

We have known blinds as functional sun protection for some time. The blinds made by i-did are not only functional but also very beautiful and are a wonderful addition to your interior.

An additional advantage of our blinds is that they, just like curtains, have a sound damping function. hanging the blinds will therefore also benefit to acoustic comfort. In addition to window coverings, they are also good to use as a room divider!

Our blinds are produced with our recycled felt. Felt made from used business or consumer clothing. Bit by bit we help with cleaning up the huge textile waste mountain while we guide people to work. Social at the core, with a sustainable exterior.



i-did i-

Measures

We ask you to pass on the order sizes to us. This is the width and height of the complete system (top of rails to bottom of blinds).

- Measure two times for certainty
- Take into account protruding parts such as handles.

On the frame

Measure the desired width and height, we recommend an extra overlap of 10 cm outside the frame if this is possible.

Order width = desired width

Order height = desired height

In the frame

Measure the width and height between the window frame or the walls in at least three places. Note the smallest size.

Then subtract 1 cm from this.

Order width = smallest width - 1 cm

Order height = smallest height - 1 cm


Pay attention to placement depth:

30 cm blinds: at least 16 cm from the window

15 cm blinds = at least 8,5 cm from the window

Controls

Please indicate on which side the control is on when ordering. The direction of the blinds always comes on the same side as the controls.



Prices and detailed description

Prices (excl. VAT)

Blind width 15 cm	Price per width meter Incl rails and ceiling mount	Price per wallbracket (optional)	Surcharge fire retardant per width meter	Transport per package in NL (excl. islands)
1,00 – 2,00 meter height	238 euro	10 euro	12 euro	On request
2,01 – 3,00 meter height	253 euro	10 euro	18 euro	On request
3,01 – 4,00 meter height	274 euro	10 euro	24 euro	On request

Blind width 30 cm	Price per width meter Incl rails and ceiling mount	Price per wallbracket (optional)	Surcharge fire retardant per width meter	Transport per package in NL (excl. islands)
1,00 – 2,00 meter height	218 euro	10 euro	12 euro	On request
2,01 – 3,00 meter height	234 euro	10 euro	18 euro	On request
3,01 – 4,00 meter height	254 euro	10 euro	24 euro	On request

Detailed description


Width customized rails	1 – 6 meter
Height rails	5 cm
Width blinds	15 of 30 cm
Hight customized blinds	1 – 4 meter
Mounting	Ceiling (standard) or with wall bracket (surcharge)
Number of suspension points	Number of meters + 1
Controls	Left or right, same side as parcel direction With pearl cord and nylon cord
Direction of the blinds	Left or right, same side as the controls
Thickness blinds when opened	2 cm per blind + 1 x 5 cm for controls
Fire retardent effect	Optional
Felt colours	All colours in stock

Customized products cannot be returned. i-did is not liable for wrong transmitted dimensions. For further information, please refer to our general terms and conditions of sale.

i-did | recycled felt



Studio Vix
Product: Blad



Recycled vilt

↕ Width : 60-200 cm (depending on colour)

↔ Length: min. 1 meter, max. 100 meter per roll

↕ ■ Thickness: $\pm 2,5$ mm


⚖ Netto weight: 0,4kg per m²

🧶 Material: i-did felt (see page on specifications of felt)

🔥 Can be made fire-retardant as an option



Dutch Design Week | World Design Embassies |
Architect: Overtreders W



i-did i-



World Nature Fund

Arch. Heyligers

Felt wallpaper

With our recycled felt as wallpaper, you immediately create a warm and colorful atmosphere in a room. Because our felt is made from recycled clothing, it is also soft, cuddly and an eye-catcher in a room.

Our felt is very suitable for most wallpaper applications, because it is completely inelastic. This makes it easy to smooth out and will also remain smooth.

Our felt has an acoustic effect, especially if it is applied on large surfaces (for example in large office spaces or a meeting room). If you want to enhance the acoustic effect, you can also apply acoustic filling, such as Metisse, behind our felt. We recommend hiring professionals to do this.



Applying wallpaper yourself

We are happy to give you some handy tips to attach the felt as well as possible. Of course, a smooth wall works best. If you have a wall with structure, we recommend that you first apply a piece of the felt or a sample set. This way you know for sure whether the felt can be used as wallpaper on your wall.

In addition, it is important to prime, so apply a layer of primer, so that the wall will not be too dry. Preferably not too wide strips, because they are less easy to apply. Felt from 60 to a maximum of 100 cm wide is the best in that regard.

The two most commonly used ways to apply our felt are to wallpaper with glue or double-sided tape.


Glue

With glue you attach the felt quite firmly to the wall. The glue with which we have good experiences is Perfax universal wall glue, but there are of course other types of glue that perform well. Please try to get expert advice locally. For Example letting a wallpaper expert to think along with you. It is best to roll up the wall first and let it dry. Then you roll the felt in glue and stick it almost immediately on the wall. Because you have already applied a layer to the wall, you have super strong adhesion.

Double-sided tape

Another option is double-sided tape. The advantage of tape is that it is much easier to remove the felt at the end of its cycle and recycle it again, or take it to another location. We have good experience with Tesa Double Sided Carpet Tape (Extra Strong). You make a "frame" on the wall and then glue the felt tightly to the wall; see also this video: <https://youtu.be/pttvWyAnsek>

Are you unsure whether you can apply the wallpaper seamlessly yourself? Or is it technically more complex? (such as a pitched roof, or if you want to stick metisse behind it), ask your local wallpaper specialist or contact us for a suggestion.





And more...

People don't just buy our felt for wallpapering. Our felt can also be used in interesting ways for an unlimited number of other purposes. From the printed cards of Imprimerie du Marais and the Haute Couture clothing of Ronald van der Kemp to watch cases from Shinola Detroit and boots. We also make felt furniture, lampshades, chess sets and planters.

And much more is possible. We are happy to advise personally about your project and are happy to help! Mail to sales@i-did.nl.



i-did i-



Ronald van der Kemp | RVDK

The Student Hotel | Delft | Architect:
The Invisible party | Project Fiction Factory



1.3 DE WOERDENSE MARKT

1.4 DE MARSE BRUG

Prices and conditions

We keep felt in stock in various widths. Currently from 60 cm to 140 cm and in the future also up to 200 cm. Preferably always check in advance whether the color you want is in stock in the width you want. The rolls are 100 meters long and can be cut off per whole meter. We do not cut per smaller sizes and not per centimeter or other units.

Smaller orders of less than 10 meters can be placed in the webshop. If this is not preferred, we will charge an administrative fee of 30 euros for smaller orders by telephone or email. For orders above 10 meters you can contact us via sales@i-did.nl.

Our felt is not automatically fire retardant, but can be impregnated. The cost of a fire-retardant treatment is per square meter.

Prices per m2

From 10 linear meters	24 Euro	Excl. VAT, excl transport
Fire retardent effect	10 Euro	Excl. VAT



Transport prices

We charge the transport costs separately from the costs of the felt. You can always pick up the felt yourself at our locations in The Hague or Utrecht (after communication with sales).

The number of linear meters that can be sent as a package depends on the width of the felt:

Felt width t/m 60 cm	65 linear meter per package
Felt width t/m 80 cm	48 linear meter per package
Felt width t/m 100 cm	38 linear meter per package
Felt width t/m 120 cm	31 linear meter per package
Felt width t/m 140 cm	27 linear meter per package *

Transport costs per package in the Netherlands, excluding islands:

For widths up to 120 cm = 8.50 euros (excl. VAT)

For widths up to 140 cm = 13.50 euros (excl. VAT)

*With higher numbers of meters than indicated above for transport per package, we are forced to ship per pallet. A pallet can contain a maximum of 3 rolls of 100 linear meters, regardless of the width of the felt.



Fedex hoofdkantoor, Amsterdam,
Architect: Ruwe Bolster by Sheryl Leysner,
Foto: Nizar Bredan



Fedex hoofdkantoor, Amsterdam,
Architect: Ruwe Bolster by Sheryl Leysner,
Foto: Nizar Bredan





i-did i-



i-did | specifications

Felt specifications

Thickness

The thickness of our felt is roundabout 2,5 mm. Because it's recycled material, it can't be completely uniform and differences upto 20% are to be regarded as normal.

Colors

All our colors have a certain degree of melange effect, because different types (of clothing) are incorporated. This effect is not equally distributed everywhere and actually enhances the recycled character of our felt.

The exact color of the felt you will receive, may differ somewhat from the sample. Since i-did always only uses worn out textiles, the color fastness over time will be extremely high; the colors have already discolored in their previous function, before recycling.

Fire resistant

We can impregnate our felt for fire resistance; the prices for this are stated on the prices page. After treatment it is possible to receive a certificate of treatment. The impregnated material can be classified as flame retardant in the sense of the international standard ISO 6941 (T.afterflame < 15 s, T.afterglow < 60 s). According to the Dutch "Bouwbesluit" (= Building Decree), this means it can be used anywhere without any problems, except on escape routes and "below 3 m. high in spaces with a meeting function (such as churches, theaters) destined for more than 50 people".

Operations

We can also do all kinds of processing in our workshops, such as lasering, punching and printing. Ask for the possible solutions to your challenge at sales@i-did.nl.

Maintenance

In order to clean our felt, it can easily be vacuumed. Never use water and do not rub. If water gets on it, wait until it is completely dry before vacuuming.




Felt colors

All our felt colors are made from recycled textiles. For example, we save water and CO2 by recycling textiles into beautiful felt. A high-quality felt, in which the origin of the textile can be seen. For example, KLM Cabin Crew uniforms that make our beautiful KLM Sky Blue felt and old Dutch army uniforms transformed into our lovely Defence Green and Desert colors.

The colors and products may differ slightly from the photo because it is sorted textile.

On the next page you will find all our felt colors.






Defense Green

Army textiles




Defense Desert

Army textiles



KLM Sky Blue

KLM Cabin Crew uniforms



KLM Cockpit

KLM pilot uniforms




KLM Turbulence

KLM pilot uniforms



Care White

White hospital uniforms




Red Kiss

Consumer textiles




Chalkboard Black

Consumer textiles



Banking Grey

ABN workclothing



Efteling Fairy Blue

Efteling workwear



Efteling Forest Brown

Efteling workwear



Power Green

Lashing straps

Composition

At i-did, we recycle textiles that would otherwise have been thrown away or incinerated. Each i-did color has a specific origin and material composition. In most cases, the textiles (often work clothing or post-consumer clothing) consist of a mix of cotton and polyester, with some colors there may also be wool. More polyester or wool will be mixed with cotton, less with other textiles. That varies from 0 to 30%. The blended polyester is 2/3 recycled polyester fibers and comes from Western Europe.

In the future we want to replace these fibers with biodegradable fibers. In addition, a spunbonded fleece has to be attached to the felt to make it stronger.

In our new factory, where we open the textile pieces ourselves and transform them into felt, we can now be flexible with the testing of small amounts of textiles and the associated addition of polyester fibers and the spunbonded fleece to make a very nice felt together!

Materials

The following are used in the production of our panels: materials used:

Metisse: this main component of our panels are worn out jeans that are fiberized. So Metisse is fairly comparable, also in terms of ecological added value, to i-did felt. Fire resistant tested class B/s1/d0.


Ecor: sheet material from recycled cellulose.

Ecoplex NAF: is used for the frame and is virgin wood. Made from local poplar wood, certified FSC, formaldehyde free according to American standards and thus also proved excellent to obtain LEED, BREAM or WELL certification.

Fire-retardant saline solution: our panels are made fire retardant by impregnating our felt with an ecologically completely harmless saline solution.

Resin glue: our glue, with which the different materials attached to each other, consists in part of natural resin glue. This glue is released by heating with an iron. This enables easy separation of the materials and thus recycling at the end of its useful life is realistic.

It is i-did's ambition to recycle our own felt in the future. So, return our felt to our production facility at the end of life and re-use it as input for new production of felt. This is how we complete the circle again!





do it with i-did

**www.i-did.nl
shop.i-did.nl**