

i-did i-

i-did | islands



i-did i-



Social at its core

We believe in a social and circular society. A society where everyone contributes to preserve the environment and where no one is left out.

We employ people who, for whatever reason, have never worked or have not worked for a long time. Together we discover opportunities, work on the skills of employees and guide our participants to work. In the period from 2017 to 2020, 70% of our participants found a new job at the end of their period with i-did.






About i-did

Mireille founded i-did in 2009 with the goal of social inclusion through work. When Michiel joined at the end of 2012, there was soon talk about the enormous amount of textile waste. How nice if we can help to clear this up little by little.

This has resulted in our beautiful recycled felt and making a sustainable impact. We don't just make this impact in our i-did studios in Utrecht and The Hague. Thanks to our own, unique factory for fiberization and felting (also in The Hague), we can now make our felt completely in-house and create even more impact.



Islands

∅ Diameter: 70 | 90 | 110 | 130 cm

↑ ■ Thickness: 4,6 cm

Materialen: Ecoplex, Ecor, Metisse, i-did felt and oak veneer rim

Standard fire retardant

Optional: height-adjustable ceiling mount of 3 meters long



Acoustic islands

To improve the acoustics in a room, it is often possible to make efficient use of the ceiling. In addition to our baffles and multi-panels, we also have islands with completely round shapes. Not only circular in design, but also in materials and production.

The islands are available in four different sizes, making it possible to play creatively with the different sizes. Also the three meter long suspension cables enable you to adjust the height in a playful way. This allows the reverberation to be reduced exactly where most sound is produced.

Our Islands are produced with our recycled felt, which is made from discarded business or consumer clothing. Little by little we help clear up the enormous amount of textile waste while guiding people to work. Social at the core, with a sustainable exterior.





Hanging up islands

We recommend ordering our suspension system with the islands to be sure that you have suitable and sufficiently strong mounting for the ceiling.

The islands with a diameter of 70, 90 and 110 cm are suspended from three attachment points.

The island with a diameter of 130 centimeters has five mounting points for reliable suspension.

We always supply a paper template with which the holes can be drilled without errors. This enables easy installation. The cables can be pulled through the hooks in the ceiling to reach the correct height and be installed level.



Materials

The following materials are used in the production of our panels:

Metisse: This main component of our panels consists of used/worn jeans that have been fiberized. Metisse is therefore reasonably comparable, also in terms of ecological added value, to i-did felt. Fire resistant tested class B/s1/d0.


Ecor: sheet material from recycled cellulose.

Ecoplex NAF: this is used for the frame and is virgin wood. Made from local poplar wood, certified FCS, Formaldehyde free according to American standards and therefore also proven to be excellent for LEED, BREAM or WELL certification.

Fire Retardant Saline Solution: Our panels are made fire retardant by infusing our felt with an ecologically completely harmless saline solution.

Resin glue: our glue, with which the different materials are attached to each other, consists partly of natural resin glue. This glue is released by heating with an iron. This makes it possible to separate the materials and thus makes recycling at the end of their useful life realistic.

The ambition of i-did is to use our own felt in the future, after use, as input for new production of felt. This is how we complete the circle again!



Felt specifications

Thickness

The thickness of our felt is roundabout 2,5 mm. Because it's recycled material, it can't be completely uniform and differences upto 20% are to be regarded as normal.

Colors

All our colors have a certain degree of melange effect, because different types (of clothing) are incorporated. This effect is not equally distributed everywhere and actually enhances the recycled character of our felt.

The exact color of the felt you will receive, may differ somewhat from the sample. Since i-did always only uses worn out textiles, the color fastness over time will be extremely high; the colors have already discolored in their previous function, before recycling.

Fire resistant

We can impregnate our felt for fire resistance; the prices for this are stated on the prices page. After treatment it is possible to receive a certificate of treatment. The impregnated material can be classified as flame retardant in the sense of the international standard ISO 6941 (T.afterflame < 15 s, T.afterglow < 60 s). According to the Dutch "Bouwbesluit" (= Building Decree), this means it can be used anywhere without any problems, except on escape routes and "below 3 m. high in spaces with a meeting function (such as churches, theaters) destined for more than 50 people".

Operations

We can also do all kinds of processing in our workshops, such as lasering, punching and printing. Ask for the possible solutions to your challenge at sales@i-did.nl.

Maintenance

In order to clean our felt, it can easily be vacuumed. Never use water and do not rub. If water gets on it, wait until it is completely dry before vacuuming.






Felt colors

All our felt colors are made from recycled textiles. For example, we save water and CO2 by recycling textiles into beautiful felt. A high-quality felt, in which the origin of the textile can be seen. For example, KLM Cabin Crew uniforms that make our beautiful KLM Sky Blue felt and old Dutch army uniforms transformed into our lovely Defence Green and Desert colors. and old Efteling outfits that are transformed into fairytale brown and blue felt.

The colors and products may differ slightly from the photo because it is sorted textile.


On the next page you will find all our felt colors.




Defence Green
Defense textiles



Defence Desert
Defense textiles



KLM Sky Blue
KLM Cabin Crew uniforms



KLM Cockpit
KLM Pilot uniforms



KLM Turbulence
KLM Pilot uniforms



Care White
White Hospital uniforms




Red Kiss
Consumer textiles



Chalkboard Black
Consumer textiles



Banking Grey
ABN workwear



Efteling Fairy Blue
Efteling uniforms



Efteling Forest Brown
Efteling uniforms



Power Green
Lashing straps

Composition

At i-did, we recycle textiles that would otherwise have been thrown away or incinerated. Each i-did color has a specific origin and material composition. In most cases, the textiles (often work clothing or post-consumer clothing) consist of a mix of cotton and polyester, with some colors there may also be wool. More polyester or wool will be mixed with cotton, less with other textiles. That varies from 0 to 30%. The blended polyester is 2/3 recycled polyester fibers and comes from Western Europe.

In the future we want to replace these fibers with biodegradable fibers. In addition, a spunbonded fleece has to be attached to the felt to make it stronger.

In our new factory, where we open the textile pieces ourselves and transform them into felt, we can now be flexible with the testing of small amounts of textiles and the associated addition of polyester fibers and the spunbonded fleece to make a very nice felt together!

Prices and detailed description

Prices (excl. VAT)

Measurements	Price per item	Transport per package in the Netherlands	Transport per pallet in the Netherlands	Suspension fittings
Ø 70	155 Euro	14 Euro (1 to 3 items)	55 Euro (10 to 20 items)	19 Euro (set of 3)
Ø 90	206 Euro	14 Euro (1 to 3 items)	55 Euro (10 to 20 items)	19 Euro (set of 3)
Ø 110	271 Euro	14 Euro (1 to 2 items)	55 Euro (7 to 20 items)	19 Euro (set of 3)
Ø 130	344 Euro	14 Euro (1 to 2 items)	55 Euro (7 to 20 items)	31 Euro (set of 5)

Detailed description

Measurements	Ø 70	Ø 90	Ø 110	Ø 130
Thickness	4,6 cm	4,6 cm	4,6 cm	4,6 cm
Weight (netto)	2,7 kg	6,3 kg	7,4 kg	9,1 kg
Weight (bruto)	3,0 kg	6,6 kg	7,7 kg	9,5 kg
Number of suspension points	3	3	3	5
Length steelcable for suspension points	3 meter (to shorten with cutting pliers)			
Height adjustable	0,5 - 3 meter			
Fire retardant	Yes	Yes	Yes	Yes
Felt colors	All colors in stock	All colors in stock	On request	On request

For further information, please refer to our general terms and conditions of sale.



do it with i-did

www.i-did.nl
shop.i-did.nl